

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2		2
		% within Sex	.7%		.6%
	5-12	Count	1		1
		% within Sex	.4%		.3%
	13-19	Count	10	4	14
		% within Sex	3.7%	6.5%	4.2%
	20-24	Count	28	6	34
		% within Sex	10.4%	9.7%	10.3%
	25-29	Count	58	9	67
		% within Sex	21.6%	14.5%	20.3%
	30-39	Count	102	24	126
		% within Sex	38.1%	38.7%	38.2%
	40-49	Count	51	15	66
		% within Sex	19.0%	24.2%	20.0%
	50-59	Count	10	2	12
		% within Sex	3.7%	3.2%	3.6%
	60-69	Count	3	2	5
		% within Sex	1.1%	3.2%	1.5%
	70+	Count	3		3
		% within Sex	1.1%		.9%
Total		Count	268	62	330
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	78	13	91
		% within Sex	29.1%	21.0%	27.6%
	African American	Count	39	14	53
		% within Sex	14.6%	22.6%	16.1%
	Hispanic	Count	146	34	180
		% within Sex	54.5%	54.8%	54.5%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.3%
	Not Specified	Count	3	1	4
		% within Sex	1.1%	1.6%	1.2%
	Total		Count	268	330
			% within Sex	100.0%	100.0%

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	154		154
		% within Sex	57.5%		46.7%
	IDU	Count	20	12	32
		% within Sex	7.5%	19.4%	9.7%
	M-M & IDU	Count	9		9
		% within Sex	3.4%		2.7%
	Heterosexual Contact	Count	12	28	40
		% within Sex	4.5%	45.2%	12.1%
	Transfusion	Count	2	1	3
		% within Sex	.7%	1.6%	.9%
	Not Classified	Count	68	21	89
		% within Sex	25.4%	33.9%	27.0%
	Ped Parent at Risk	Count	2		2
		% within Sex	.7%		.6%
	Ped Other-Undet	Count	1		1
		% within Sex	.4%		.3%
Total	Count	268	62	330	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	90	91
		% within Adult-Ped	33.3%	27.5%	27.6%
	African American	Count	1	52	53
		% within Adult-Ped	33.3%	15.9%	16.1%
	Hispanic	Count	1	179	180
		% within Adult-Ped	33.3%	54.7%	54.5%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		4	4
		% within Adult-Ped		1.2%	1.2%
	Total	Count	3	327	330
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	265	268
		% within Adult-Ped	100.0%	81.0%	81.2%
	Female	Count		62	62
		% within Adult-Ped		19.0%	18.8%
Total		Count	3	327	330
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	7	4	11
		% within Sex	4.2%	10.0%	5.3%
	20-24	Count	28	8	36
		% within Sex	16.8%	20.0%	17.4%
	25-29	Count	34	6	40
		% within Sex	20.4%	15.0%	19.3%
	30-39	Count	68	15	83
		% within Sex	40.7%	37.5%	40.1%
	40-49	Count	20	5	25
		% within Sex	12.0%	12.5%	12.1%
	50-59	Count	9	2	11
		% within Sex	5.4%	5.0%	5.3%
	70+	Count	1		1
		% within Sex	.6%		.5%
Total	Count	167	40	207	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	52	12	64
		% within Sex	31.1%	30.0%	30.9%
	African American	Count	13	9	22
		% within Sex	7.8%	22.5%	10.6%
	Hispanic	Count	102	18	120
		% within Sex	61.1%	45.0%	58.0%
	Not Specified	Count		1	1
		% within Sex		2.5%	.5%
Total	Count	167	40	207	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	93		93
		% within Sex	55.7%		44.9%
	IDU	Count	12	7	19
		% within Sex	7.2%	17.5%	9.2%
	M-M & IDU	Count	3		3
		% within Sex	1.8%		1.4%
	Heterosexual Contact	Count	6	16	22
		% within Sex	3.6%	40.0%	10.6%
	Not Classified	Count	53	17	70
		% within Sex	31.7%	42.5%	33.8%
Total	Count	167	40	207	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	64	64
		% within Adult-Ped	30.9%	30.9%
	African American	Count	22	22
		% within Adult-Ped	10.6%	10.6%
	Hispanic	Count	120	120
		% within Adult-Ped	58.0%	58.0%
	Not Specified	Count	1	1
		% within Adult-Ped	.5%	.5%
Total	Count	207	207	
	% within Adult-Ped	100.0%	100.0%	

a. EMA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	167	167
		% within Adult-Ped	80.7%	80.7%
	Female	Count	40	40
		% within Adult-Ped	19.3%	19.3%
Total		Count	207	207
		% within Adult-Ped	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	25	11	36
		% within Sex	3.5%	5.9%	4.0%
	20-24	Count	82	32	114
		% within Sex	11.4%	17.0%	12.6%
	25-29	Count	157	31	188
		% within Sex	21.9%	16.5%	20.8%
	30-39	Count	285	64	349
		% within Sex	39.7%	34.0%	38.6%
	40-49	Count	119	36	155
		% within Sex	16.6%	19.1%	17.1%
	50-59	Count	36	9	45
		% within Sex	5.0%	4.8%	5.0%
	60-69	Count	4	2	6
		% within Sex	.6%	1.1%	.7%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.7%
Total		Count	717	188	905
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	240	52	292
		% within Sex	33.5%	27.7%	32.3%
	African American	Count	93	44	137
		% within Sex	13.0%	23.4%	15.1%
	Hispanic	Count	377	90	467
		% within Sex	52.6%	47.9%	51.6%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	3	2	5
		% within Sex	.4%	1.1%	.6%
	Total		717	188	905
			100.0%	100.0%	100.0%

a. EMA = San Antonio

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	426		426
		% within Sex	59.4%		47.1%
	IDU	Count	50	40	90
		% within Sex	7.0%	21.3%	9.9%
	M-M & IDU	Count	25		25
		% within Sex	3.5%		2.8%
	Heterosexual Contact	Count	30	78	108
		% within Sex	4.2%	41.5%	11.9%
	Transfusion	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Not Classified	Count	179	67	246
		% within Sex	25.0%	35.6%	27.2%
	Ped Parent at Risk	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	Total		717	188	905
			100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	290	292
		% within Adult-Ped	33.3%	32.3%	32.3%
	African American	Count	3	134	137
		% within Adult-Ped	50.0%	14.9%	15.1%
	Hispanic	Count	1	466	467
		% within Adult-Ped	16.7%	51.8%	51.6%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.6%	.6%
Total	Count	6	899	905	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	4	713	717
		% within Adult-Ped	66.7%	79.3%	79.2%
	Female	Count	2	186	188
		% within Adult-Ped	33.3%	20.7%	20.8%
Total		Count	6	899	905
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	25	11	36
		% within Sex	3.5%	5.9%	4.0%
	20-24	Count	82	32	114
		% within Sex	11.6%	17.3%	12.8%
	25-29	Count	156	31	187
		% within Sex	22.0%	16.8%	20.9%
	30-39	Count	283	63	346
		% within Sex	39.9%	34.1%	38.7%
	40-49	Count	117	34	151
		% within Sex	16.5%	18.4%	16.9%
	50-59	Count	33	9	42
		% within Sex	4.7%	4.9%	4.7%
	60-69	Count	4	2	6
		% within Sex	.6%	1.1%	.7%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.7%
Total		Count	709	185	894
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	2		2
		% within Sex	.3%		.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	4	5	9
		% within Sex	.6%	2.7%	1.0%
	20-24	Count	54	14	68
		% within Sex	7.6%	7.6%	7.6%
	25-29	Count	81	31	112
		% within Sex	11.4%	16.8%	12.5%
	30-39	Count	293	64	357
		% within Sex	41.3%	34.6%	39.9%
	40-49	Count	203	50	253
		% within Sex	28.6%	27.0%	28.3%
	50-59	Count	49	12	61
		% within Sex	6.9%	6.5%	6.8%
	60-69	Count	17	7	24
		% within Sex	2.4%	3.8%	2.7%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.7%
Total		Count	709	185	894
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	238	51	289
		% within Sex	33.6%	27.6%	32.3%
	African American	Count	92	43	135
		% within Sex	13.0%	23.2%	15.1%
	Hispanic	Count	372	89	461
		% within Sex	52.5%	48.1%	51.6%
	Asian-Pacific Islander	Count	3		3
		% within Sex	.4%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	3	2	5
		% within Sex	.4%	1.1%	.6%
Total	Count	709	185	894	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	424		424
		% within Sex	59.8%		47.4%
	IDU	Count	50	38	88
		% within Sex	7.1%	20.5%	9.8%
	M-M & IDU	Count	24		24
		% within Sex	3.4%		2.7%
	Heterosexual Contact	Count	30	77	107
		% within Sex	4.2%	41.6%	12.0%
	Transfusion	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Not Classified	Count	174	67	241
		% within Sex	24.5%	36.2%	27.0%
	Ped Parent at Risk	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total		Count	709	185	894
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	2	287	289
		% within Adult-Ped	33.3%	32.3%	32.3%
	African American	Count	3	132	135
		% within Adult-Ped	50.0%	14.9%	15.1%
	Hispanic	Count	1	460	461
		% within Adult-Ped	16.7%	51.8%	51.6%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.6%	.6%
Total	Count	6	888	894	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	4	705	709
		% within Adult-Ped	66.7%	79.4%	79.3%
	Female	Count	2	183	185
		% within Adult-Ped	33.3%	20.6%	20.7%
Total		Count	6	888	894
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2		2
		% within Sex	1.3%		1.1%
	20-24	Count	5	4	9
		% within Sex	3.3%	13.3%	5.0%
	25-29	Count	11	2	13
		% within Sex	7.3%	6.7%	7.2%
	30-39	Count	72	10	82
		% within Sex	47.7%	33.3%	45.3%
	40-49	Count	42	9	51
		% within Sex	27.8%	30.0%	28.2%
	50-59	Count	13	4	17
		% within Sex	8.6%	13.3%	9.4%
	60-69	Count	6	1	7
		% within Sex	4.0%	3.3%	3.9%
Total		Count	151	30	181
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	42	2	44
		% within Sex	27.8%	6.7%	24.3%
	African American	Count	21	9	30
		% within Sex	13.9%	30.0%	16.6%
	Hispanic	Count	83	18	101
		% within Sex	55.0%	60.0%	55.8%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.3%	3.3%	1.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.7%		.6%
	Not Specified	Count	2		2
		% within Sex	1.3%		1.1%
Total	Count	151	30	181	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	85		85
		% within Sex	56.3%		47.0%
	IDU	Count	17	3	20
		% within Sex	11.3%	10.0%	11.0%
	M-M & IDU	Count	2		2
		% within Sex	1.3%		1.1%
	Heterosexual Contact	Count	10	12	22
		% within Sex	6.6%	40.0%	12.2%
	Transfusion	Count	1		1
		% within Sex	.7%		.6%
	Not Classified	Count	36	15	51
		% within Sex	23.8%	50.0%	28.2%
Total	Count	151	30	181	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	44	44
		% within Adult-Ped	24.3%	24.3%
	African American	Count	30	30
		% within Adult-Ped	16.6%	16.6%
	Hispanic	Count	101	101
		% within Adult-Ped	55.8%	55.8%
	Asian-Pacific Islander	Count	3	3
		% within Adult-Ped	1.7%	1.7%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.6%	.6%
	Not Specified	Count	2	2
		% within Adult-Ped	1.1%	1.1%
Total		Count	181	181
		% within Adult-Ped	100.0%	100.0%

a. EMA = San Antonio

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	151	151
		% within Adult-Ped	83.4%	83.4%
	Female	Count	30	30
		% within Adult-Ped	16.6%	16.6%
Total		Count	181	181
		% within Adult-Ped	100.0%	100.0%

a. EMA = San Antonio

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2		2
		% within Sex	1.1%		1.0%
	20-24	Count	4	2	6
		% within Sex	2.2%	6.7%	2.9%
	25-29	Count	21	3	24
		% within Sex	11.7%	10.0%	11.4%
	30-39	Count	76	13	89
		% within Sex	42.2%	43.3%	42.4%
	40-49	Count	57	9	66
		% within Sex	31.7%	30.0%	31.4%
	50-59	Count	14	3	17
		% within Sex	7.8%	10.0%	8.1%
	60-69	Count	5		5
		% within Sex	2.8%		2.4%
	70+	Count	1		1
		% within Sex	.6%		.5%
Total		Count	180	30	210
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	42	4	46
		% within Sex	23.3%	13.3%	21.9%
	African American	Count	23	6	29
		% within Sex	12.8%	20.0%	13.8%
	Hispanic	Count	114	20	134
		% within Sex	63.3%	66.7%	63.8%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.5%
	Total	Count	180	30	210
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	97		97
		% within Sex	53.9%		46.2%
	IDU	Count	17	5	22
		% within Sex	9.4%	16.7%	10.5%
	M-M & IDU	Count	3		3
		% within Sex	1.7%		1.4%
	Heterosexual Contact	Count	9	18	27
		% within Sex	5.0%	60.0%	12.9%
	Not Classified	Count	54	7	61
		% within Sex	30.0%	23.3%	29.0%
Total	Count	180	30	210	
	% within Sex	100.0%	100.0%	100.0%	

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	46	46
		% within Adult-Ped	21.9%	21.9%
	African American	Count	29	29
		% within Adult-Ped	13.8%	13.8%
	Hispanic	Count	134	134
		% within Adult-Ped	63.8%	63.8%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.5%	.5%
Total	Count	210	210	
	% within Adult-Ped	100.0%	100.0%	

a. EMA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/Adol escent	
Sex	Male	Count	180	180
		% within Adult-Ped	85.7%	85.7%
	Female	Count	30	30
		% within Adult-Ped	14.3%	14.3%
Total		Count	210	210
		% within Adult-Ped	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	4	5	9
		% within Sex	.1%	1.3%	.2%
	1 (12-23 mo)	Count	5	3	8
		% within Sex	.1%	.8%	.2%
	2-4	Count	3	1	4
		% within Sex	.1%	.3%	.1%
	5-12	Count	3	3	6
		% within Sex	.1%	.8%	.1%
	13-19	Count	30	5	35
		% within Sex	.8%	1.3%	.8%
	20-24	Count	164	35	199
		% within Sex	4.1%	9.0%	4.6%
	25-29	Count	656	51	707
		% within Sex	16.5%	13.0%	16.2%
	30-39	Count	1829	160	1989
		% within Sex	46.0%	40.9%	45.5%
	40-49	Count	908	82	990
		% within Sex	22.8%	21.0%	22.7%
	50-59	Count	269	28	297
		% within Sex	6.8%	7.2%	6.8%
	60-69	Count	92	13	105
		% within Sex	2.3%	3.3%	2.4%
	70+	Count	16	5	21
		% within Sex	.4%	1.3%	.5%
Total		Count	3979	391	4370
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1548	106	1654
		% within Sex	38.9%	27.1%	37.8%
	African American	Count	439	88	527
		% within Sex	11.0%	22.5%	12.1%
	Hispanic	Count	1968	196	2164
		% within Sex	49.5%	50.1%	49.5%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.3%	.3%	.3%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.2%		.2%
	Not Specified	Count	7		7
		% within Sex	.2%		.2%
	Total	Count	3979	391	4370
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2774		2774
		% within Sex	69.7%		63.5%
	IDU	Count	352	96	448
		% within Sex	8.8%	24.6%	10.3%
	M-M & IDU	Count	312		312
		% within Sex	7.8%		7.1%
	Hemophiliac	Count	33	1	34
		% within Sex	.8%	.3%	.8%
	Heterosexual Contact	Count	191	208	399
		% within Sex	4.8%	53.2%	9.1%
	Transfusion	Count	38	13	51
		% within Sex	1.0%	3.3%	1.2%
	Confirmed Other	Count		2	2
		% within Sex		.5%	.0%
	Not Classified	Count	262	59	321
		% within Sex	6.6%	15.1%	7.3%
	Ped Hemophiliac	Count	3		3
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	11	11	22
		% within Sex	.3%	2.8%	.5%
	Ped Transfusion	Count	3		3
		% within Sex	.1%		.1%
	Ped Confirmed Other	Count		1	1
		% within Sex		.3%	.0%
Total		Count	3979	391	4370
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	8	1646	1654
		% within Adult-Ped	29.6%	37.9%	37.8%
	African American	Count	7	520	527
		% within Adult-Ped	25.9%	12.0%	12.1%
	Hispanic	Count	12	2152	2164
		% within Adult-Ped	44.4%	49.6%	49.5%
	Asian-Pacific Islander	Count		11	11
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		7	7
		% within Adult-Ped		.2%	.2%
	Total	Count	27	4343	4370
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	15	3964	3979
		% within Adult-Ped	55.6%	91.3%	91.1%
	Female	Count	12	379	391
		% within Adult-Ped	44.4%	8.7%	8.9%
Total		Count	27	4343	4370
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count		1	1
		% within Sex		.4%	.0%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.1%	.8%	.1%
	2-4	Count	1	1	2
		% within Sex	.1%	.4%	.1%
	5-12	Count		2	2
		% within Sex		.8%	.1%
	13-19	Count	12	4	16
		% within Sex	.6%	1.6%	.8%
	20-24	Count	87	25	112
		% within Sex	4.7%	10.2%	5.4%
	25-29	Count	293	34	327
		% within Sex	15.9%	13.9%	15.6%
	30-39	Count	879	109	988
		% within Sex	47.6%	44.5%	47.2%
	40-49	Count	428	41	469
		% within Sex	23.2%	16.7%	22.4%
	50-59	Count	121	18	139
		% within Sex	6.5%	7.3%	6.6%
	60-69	Count	23	7	30
		% within Sex	1.2%	2.9%	1.4%
	70+	Count	3	1	4
		% within Sex	.2%	.4%	.2%
Total		Count	1848	245	2093
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	3	4
		% within Sex	.1%	1.2%	.2%
	13-19	Count	3	2	5
		% within Sex	.2%	.8%	.2%
	20-24	Count	14	5	19
		% within Sex	.8%	2.0%	.9%
	25-29	Count	55	18	73
		% within Sex	3.0%	7.3%	3.5%
	30-39	Count	665	96	761
		% within Sex	36.0%	39.2%	36.4%
	40-49	Count	758	85	843
		% within Sex	41.0%	34.7%	40.3%
	50-59	Count	277	23	300
		% within Sex	15.0%	9.4%	14.3%
	60-69	Count	66	9	75
		% within Sex	3.6%	3.7%	3.6%
	70+	Count	9	4	13
		% within Sex	.5%	1.6%	.6%
Total		Count	1848	245	2093
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	647	59	706
		% within Sex	35.0%	24.1%	33.7%
	African American	Count	222	59	281
		% within Sex	12.0%	24.1%	13.4%
	Hispanic	Count	964	126	1090
		% within Sex	52.2%	51.4%	52.1%
	Asian-Pacific Islander	Count	6	1	7
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	6		6
		% within Sex	.3%		.3%
	Not Specified	Count	3		3
		% within Sex	.2%		.1%
Total		Count	1848	245	2093
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1247		1247
		% within Sex	67.5%		59.6%
	IDU	Count	186	55	241
		% within Sex	10.1%	22.4%	11.5%
	M-M & IDU	Count	122		122
		% within Sex	6.6%		5.8%
	Hemophiliac	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Heterosexual Contact	Count	107	137	244
		% within Sex	5.8%	55.9%	11.7%
	Transfusion	Count	6		6
		% within Sex	.3%		.3%
Total	Not Classified	Count	170	46	216
		% within Sex	9.2%	18.8%	10.3%
	Ped Hemophiliac	Count	1		1
		% within Sex	.1%		.0%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	.1%	2.0%	.3%
	Ped Confirmed Other	Count		1	1
		% within Sex		.4%	.0%
		Count	1848	245	2093
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	3	703	706
		% within Adult-Ped	37.5%	33.7%	33.7%
	African American	Count	1	280	281
		% within Adult-Ped	12.5%	13.4%	13.4%
	Hispanic	Count	4	1086	1090
		% within Adult-Ped	50.0%	52.1%	52.1%
	Asian-Pacific Islander	Count		7	7
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		6	6
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		3	3
		% within Adult-Ped		.1%	.1%
Total		Count	8	2085	2093
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	1846	1848
		% within Adult-Ped	25.0%	88.5%	88.3%
	Female	Count	6	239	245
		% within Adult-Ped	75.0%	11.5%	11.7%
Total		Count	8	2085	2093
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

EMA = San Antonio

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	2	5
		% within Sex	.1%	.5%	.2%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.0%	.5%	.1%
	2-4	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	5-12	Count	1	3	4
		% within Sex	.0%	.7%	.1%
	13-19	Count	37	15	52
		% within Sex	1.4%	3.5%	1.7%
	20-24	Count	169	57	226
		% within Sex	6.6%	13.3%	7.6%
	25-29	Count	449	65	514
		% within Sex	17.6%	15.1%	17.2%
	30-39	Count	1162	172	1334
		% within Sex	45.4%	40.0%	44.7%
	40-49	Count	545	75	620
		% within Sex	21.3%	17.4%	20.8%
	50-59	Count	154	27	181
		% within Sex	6.0%	6.3%	6.1%
	60-69	Count	27	9	36
		% within Sex	1.1%	2.1%	1.2%
	70+	Count	8	2	10
		% within Sex	.3%	.5%	.3%
Total		Count	2557	430	2987
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	2		2
		% within Sex	.1%		.1%
	5-12	Count	2	4	6
		% within Sex	.1%	.9%	.2%
	13-19	Count	7	7	14
		% within Sex	.3%	1.6%	.5%
	20-24	Count	68	19	87
		% within Sex	2.7%	4.4%	2.9%
	25-29	Count	136	49	185
		% within Sex	5.3%	11.4%	6.2%
	30-39	Count	958	160	1118
		% within Sex	37.5%	37.2%	37.4%
	40-49	Count	961	135	1096
		% within Sex	37.6%	31.4%	36.7%
	50-59	Count	326	35	361
		% within Sex	12.7%	8.1%	12.1%
	60-69	Count	83	16	99
		% within Sex	3.2%	3.7%	3.3%
	70+	Count	14	5	19
		% within Sex	.5%	1.2%	.6%
Total		Count	2557	430	2987
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	885	110	995
		% within Sex	34.6%	25.6%	33.3%
	African American	Count	314	102	416
		% within Sex	12.3%	23.7%	13.9%
	Hispanic	Count	1336	215	1551
		% within Sex	52.2%	50.0%	51.9%
	Asian-Pacific Islander	Count	9	1	10
		% within Sex	.4%	.2%	.3%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.3%		.2%
	Not Specified	Count	6	2	8
		% within Sex	.2%	.5%	.3%
	Total		Count	2557	430
			% within Sex	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1671		1671
		% within Sex	65.4%		55.9%
	IDU	Count	236	93	329
		% within Sex	9.2%	21.6%	11.0%
	M-M & IDU	Count	146		146
		% within Sex	5.7%		4.9%
	Hemophiliac	Count	7	1	8
		% within Sex	.3%	.2%	.3%
	Heterosexual Contact	Count	137	214	351
		% within Sex	5.4%	49.8%	11.8%
	Transfusion	Count	9	1	10
		% within Sex	.4%	.2%	.3%
	Not Classified	Count	344	113	457
		% within Sex	13.5%	26.3%	15.3%
	Ped Hemophiliac	Count	1		1
		% within Sex	.0%		.0%
	Ped Parent at Risk	Count	5	6	11
		% within Sex	.2%	1.4%	.4%
	Ped Confirmed Other	Count		1	1
		% within Sex		.2%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.2%	.1%
Total		Count	2557	430	2987
		% within Sex	100.0%	100.0%	100.0%

a. EMA = San Antonio

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	5	990	995
		% within Adult-Ped	35.7%	33.3%	33.3%
	African American	Count	4	412	416
		% within Adult-Ped	28.6%	13.9%	13.9%
	Hispanic	Count	5	1546	1551
		% within Adult-Ped	35.7%	52.0%	51.9%
	Asian-Pacific Islander	Count		10	10
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		8	8
		% within Adult-Ped		.3%	.3%
	Total	Count	14	2973	2987
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	6	2551	2557
		% within Adult-Ped	42.9%	85.8%	85.6%
	Female	Count	8	422	430
		% within Adult-Ped	57.1%	14.2%	14.4%
Total		Count	14	2973	2987
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = San Antonio